NAVAL POSTGRADUATE SCHOOL Monterey, California

EC 3210 MIDTERM EXAM II 12/89Po

- $\bullet\,$ This exam is open book and notes.
- There are three problems; each is equally weighted.
- Partial credit will be given; be sure to do some work on each problem.
- Be sure to include units in your answers.
- Please circle or underline your answers.
- $\bullet\,$ Do NOT do any work on this sheet.
- \bullet Show ALL work.

1	
2	
3	
Total	

Name:	

1. A laser has a lineshape given by

$$g(\nu) = \frac{4.25 \times 10^9}{(\nu - 2.83 \times 10^{14}) + 1.782 \times 10^{20}}.$$
 (1)

- (a) Find the wavelength of the laser and
- (b) find the spectral linewidth $\Delta \lambda$ of the laser.

Added information: The equation should read...

$$g(\nu) = \frac{4.25 \times 10^9}{(\nu - 2.83 \times 10^{14})^2 + 1.782 \times 10^{20}}.$$
 (2)

- 2. A Doppler–broadened CO₂ laser operating at 10.6 μm has a saturation irradiance of 1 mW/cm². Assuming an index of refraction of 1, find the frequency linewidth $\Delta \nu_{\rm Doppler}$ of the source. (Do not make any temperature assumptions.)
- 3. A laser that operates at 2 μ m has a small–signal round–trip gain of 6% and a round–trip internal loss of 1.5%. The laser has one mirror that is 100% reflecting; the other mirror is partially transmissive.

The laser provides a measured output irradiance of 200 W·m⁻² when the output mirror has a transmission of 3%. By what factor will the output irradiance increase, if the output mirror is replaced by one with the optimum transmission for this laser?